



Solid Color Flooring Systems











System Description

100% solids, pigmented epoxy flooring system with low surface tension designed for coating commercial and industrial floors. The base coat is an amine-cured, self-leveling, epoxy floor coating that exhibits excellent resistance to organic solvents, caustic environments, and dilute acidic exposures, while also displaying outstanding mechanical properties, such as adhesion and abrasion resistance. The base coat is available as both full ceramic & semi-ceramic, and is offered in an assortment of standard colors.

Application Summary

Components are 2K products that are mixed on site and typically applied with a notched trowel, squeegee, roller or airless spray to create a smooth, glossy floor.

Common Applications

Warehouse, hangars, maintenance shop, packaging area, process rooms, machine shop, loading docks, test areas, manufacturing areas, light industrial, walkways, pharmaceutical processing areas, USDA inspected facilities, chemical processing areas.



Solid Color Flooring Systems





System Options

Primer: BondTite 1101 (also available in Extended pot life formulation, BondTite 1101-EP)

Base Coat: Available as either Full-Ceramic (LiquaTile 1143), and Semi-Ceramic (LiquaTile 1184)*

LiquaTile 1143 and LiquaTile 1184 are both available in two different formulations:

• UVR (Increased UV Resistance) • CHR (Increased Chemical Resistance)

Sealer Coat: EnduraShield 2254 (Maintains Gloss, Scratch, & UV Resistance)**

Texture


Optional aggregates: SpheriTex 0110 (Gloss Finish), WearResist 0105 (Satin Finish)

Components

	1184	1184 +	1143
Primer	BondTite 1101	BondTite 1101	BondTite 1101
Base Coat	LiquaTile 1184	LiquaTile 1184	LiquaTile 1143
Sealer Coat	N/A	EnduraShield 2254	Not Recommended

COLORS

The epoxy primer and base coat combination give durable protection for smooth, new concrete. The base coat is available in an assortment of standard colors... **See Back Page**



^{*}For resistance to specific chemicals, please refer to our Chemical Resistant Flooring Systems brochure

^{**}Not recommended if base coat is Full-Ceramic

SYSTEMS

Color Chart

Bone White WH2A	Silver Gray GY1D	Steel Gray GY2A
BattleShip Gray GY4B	Slate Gray GY6A	Onyx Black BK7A
Desert Beige TN4A	Island Tan TN6A	Mocha Brown BR5A
Tile Red RD3A	Sky Blue BU1A	Deep Blue BU8A
Dusk Blue BU4A	Safety Blue BU5A	Safety Green GR1A
Safety Yellow YL2A	Safety Orange OR1A	Safety Red RD2A

Color charts have been optimized to show colors as accurately as possible. Due to screen and printing limitations, you should consult your local Wolverine Coatings Corporation representative when color is critical or if custom colors or matching is desired.

"Big company" capabilities with "small company" personalized service.



Wolverine Coatings Corporation

5969 Highway 221 | Roebuck SC, 29376 Tel: (864) 587-3144 | Fax: (864) 587-3147 E-mail: Sales@wolverinecoatings.com

WolverineCoatings.com