



# IntegraFlex 1921 Resin

## (Part A)

### Safety Data Sheet (SDS)

#### Section 1 - Product and Company Identification

**Trade Name:** IntegraFlex 1921 Resin (All Versions)

**Product Code:** IntegraFlex 1921-020 WH2A Resin

**Company:**

Wolverine Coatings Corporation  
5969 US Highway 221  
Roebuck, SC 29376  
+1 (864) 342-9292

**Emergency Contact:**

ChemTel 24 Hr. US Emergency Number:  
+1 (800) 255-3924  
ChemTel 24 Hr. Worldwide Emergency Number:  
+1 (813) 248-0585

**Product Use:** Coatings

**Not recommended for:** None Identified

#### Section 2 - Hazards Identification

**GHS Ratings:**

|                    |    |  |
|--------------------|----|--|
| Skin Corrosive     | 2  | Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation   |
| Eye Corrosive      | 1  | Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$  |
| Skin Sensitizer    | 1  | Skin Sensitizer  |
| Mutagen            | 2  | Suspected/Possible: May include heritable mutations in human germ cells, Positive evidence from tests in mammals and somatic cell tests, In vivo somatic genotoxicity supported by in vitro mutagenicity |
| Carcinogen         | 1A | Known Human Carcinogen Based on human evidence   |
| Reproductive Toxin | 2  | Human or animal evidence possibly with other information   |

**GHS Hazards**

|      |   |
|------|---|
| H315 | Causes skin irritation                              |
| H317 | May cause an allergic skin reaction                 |
| H318 | Causes serious eye damage                           |
| H341 | Suspected of causing genetic defects                |
| H350 | May cause cancer                                    |
| H361 | Suspected of damaging fertility or the unborn child |

**GHS Precautions**

|                |   |
|----------------|---|
| P201           | Obtain special instructions before use  |
| P202           | Do not handle until all safety precautions have been read and understood  |
| P261           | Avoid breathing dust/fume/gas/mist/vapours/spray  |
| P264           | Wash thoroughly after handling  |
| P272           | Contaminated work clothing should not be allowed out of the workplace   |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection   |
| P281           | Use personal protective equipment as required   |
| P310           | Immediately call a POISON CENTER or doctor/physician  |
| P321           | Specific treatment (see label)  |
| P362           | Take off contaminated clothing and wash before reuse  |
| P363           | Wash contaminated clothing before reuse   |
| P302+P352      | IF ON SKIN: Wash with soap and water  |
| P305+P351+P338 | IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing |
| P308+P313      | IF exposed or concerned: Get medical advice/attention   |

P332+P313  
P333+P313  
P405  
P501

If skin irritation occurs: Get medical advice/attention  
If skin irritation or a rash occurs: Get medical advice/attention  
Store locked up  
Dispose of contents/container in accordance with all local, regional, national, and international regulations.

**Signal Word:** Danger



### Section 3 - Composition / Information on Ingredients

| Chemical Name                      | CAS number | Weight Concentration % |
|------------------------------------|------------|------------------------|
| Quartz                             | 14808-60-7 | 40.00% - 50.00%        |
| Bisphenol A diglycidyl ether resin | 25068-38-6 | 20.00% - 30.00%        |
| Titanium Dioxide                   | 13463-67-7 | 5.00% - 10.00%         |
| Alkyl c12 - c14 glycidyl ether     | 68609-97-2 | 5.00% - 10.00%         |
| Hydrous magnesium silicate         | 14807-96-6 | 5.00% - 10.00%         |
| Nonylphenol                        | 84852-15-3 | 1.00% - 5.00%          |

### Section 4 - First Aid Measures

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

### Section 5 - Fire Fighting Measures

**Flash Point:** 208 C (407 F)

LEL:

UEL:

**Extinguishing Media:** Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder extinguishing systems.

**Unusual Fire and Explosion Hazards:** None

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

**Special Fire Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus.

**Fire Equipment:** No Data

### Section 6 - Accidental Release Measures

**Spill And Leak Procedures:** Avoid all personal contact. Ensure cleanup personnel wear all appropriate

Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

## Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## Section 8 - Exposure Controls / Personal Protection

| Chemical Name / CAS #                               | OSHA Exposure Limits  | ACGIH Exposure Limits        | Other Exposure Limits |
|---|---|------------------------------|-----------------------|
| Quartz<br>14808-60-7                                | TWA30 mg/m <sup>3</sup> /<br>%SiO <sub>2</sub> +2 total dust<br>TWA: 10 mg/m <sup>3</sup><br>/%SiO <sub>2</sub> +2 respirable<br>fraction | TWA: 0.025 mg/m <sup>3</sup> | Not Established       |
| Bisphenol A diglycidyl<br>ether resin<br>25068-38-6 | Not Established   | Not Established              | Not Established       |
| Titanium Dioxide<br>13463-67-7                      | TWA: 15 mg/m <sup>3</sup>   | TWA: 10 mg/m <sup>3</sup>    | Not Established       |
| Alkyl c12 - c14 glycidyl<br>ether<br>68609-97-2     | Not Established   | Not Established              | Not Established       |
| Hydrous magnesium<br>silicate<br>14807-96-6         | TWA: 20 million particles<br>per ft <sup>3</sup>  | TWA: 2 mg/m <sup>3</sup>     | Not Established       |
| Nonylphenol<br>84852-15-3                           | Not Established   | Not Established              | Not Established       |

**Ventilation:** Good general mechanical ventilation and local exhaust is recommended.

**Hygiene:** Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

**Personal Protective Equipment:** Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

**Contaminated Gear:** Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

## Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstances:

|                                     |                                      |
|-------------------------------------|--------------------------------------|
| <b>Appearance:</b> Liquid           | <b>Odor:</b> Not available           |
| <b>Vapor Pressure:</b> 0.047 mm Hg  | <b>Odor threshold:</b> Not available |
| <b>Vapor Density:</b> Not available | <b>pH:</b> Not available             |

|  |   |
|--|---|
| <b>Density (g/cm3):</b> 1.68                   | <b>Melting point:</b> Not available                           |
| <b>Freezing point:</b> Not available           | <b>Solubility:</b> Not available                              |
| <b>Boiling range:</b> Not available            | <b>Flash point:</b> 208°C, 407°F                              |
| <b>Evaporation rate:</b> Not available         | <b>Flammability:</b> Not available                            |
| <b>Explosive Limits:</b> Not available         | <b>Partition coefficient (n-octanol/water):</b> Not available |
| <b>Autoignition temperature:</b> Not available | <b>Decomposition temperature:</b> Not available               |
| <b>Viscosity:</b> Not available                | <b>Grams VOC less water:</b> Not available                    |

## Section 10 - Stability and Reactivity

### Stability:

STABLE

### Components of this mixture are incompatible with the following materials:

Strong Oxidizers  
 Strong Acids  
 Strong Bases  
 Strong Reducing Agents  
 Amines

### This mixture is likely to exhibit the following combustion products:

No Data

Hazardous polymerization will not occur.

## Section 11 - Toxicological Information

### Mixture Toxicity:

Inhalation Toxicity LC50: 683mg/L

### Component Toxicity:

13463-67-7 Titanium Dioxide  
 Inhalation LC50: 7 mg/kg (Rat)  
 68609-97-2 Alkyl c12 - c14 glycidyl ether  
 Oral LD50: 17 g/kg (rat) Dermal LD50: 4,500 mg/kg (rabbit)  
 84852-15-3 Nonylphenol  
 Oral LD50: 1,412 mg/kg (Rat) Dermal LD50: 2,031 mg/kg (Rabbit)

### Routes of Entry:

Inhalation      Skin Contact      Eye Contact      Ingestion

### Exposure to this material may affect the following organs:

Lungs      Respiratory System

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

| <u>CAS Number</u> | <u>Description</u> | <u>% Weight</u> | <u>Carcinogen Rating</u>  |
|-------------------|--------------------|-----------------|---|
| 14808-60-7        | Quartz             | 40 to 50%       | Quartz: If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes. |

## Section 12 - Ecological Information

### Component Ecotoxicity:

|                                    |   |
|------------------------------------|---|
| Quartz                             | LC50 >10,000 mg/l fish 72h; EC50 7600 mg/L water flea 48h; EC50 440mg/L algae, 72h;                     |
| Bisphenol A diglycidyl ether resin | LC50 3.1 mg/l fish 96h; EC50 2.1 mg/l water flea 48h; EC50 >11mg/l Algae 72h; LC50 >100mg/l bacteria 3h |
| Titanium Dioxide                   | LC50 >1000 mg/l fish 96h; EC50 >1000 mg/l water flea 48h; EC50 >100 mg/l algae 72h                      |
| Alkyl c12 - c14 glycidyl ether     | EC50 10 mg/l water flea 48h   |
| Hydrous magnesium silicate         | LC50 >100 g/l fish  |
| Nonylphenol                        | LC50 0.209 mg/l fish 96h; EC50 0.0844 mg/l water flea 48h   |

## Section 13 - Disposal Considerations

**Waste disposal Methods:** Dispose in accordance with Federal, State and Local regulations.

## Section 14 - Transport Information

This material is classified for transport as follows:

| <u>Agency</u> | <u>Proper Shipping Name</u>       | <u>UN Number</u> | <u>Packing Group</u> | <u>Hazard Class</u> |
|---------------|-----------------------------------|------------------|----------------------|---------------------|
| DOT           | Paint Related Material, Corrosive | 3066             | III                  | 8                   |
| IATA          | No Data                           |                  |                      |                     |
| IMDG          | No Data                           |                  |                      |                     |

## Section 15 - Regulatory Information

### Additional regulatory listings, where applicable:

#### State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- Hydrous magnesium silicate 14807-96-6
- Titanium Dioxide 13463-67-7
- Quartz 14808-60-7

#### Materials not included on the Canada DSL inventory:

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

- Hydrous magnesium silicate 14807-96-6
- Titanium Dioxide 13463-67-7
- Quartz 14808-60-7

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

- Nonylphenol 84852-15-3
- Hydrous magnesium silicate 14807-96-6
- Titanium Dioxide 13463-67-7
- Bisphenol A diglycidyl ether resin 25068-38-6
- Quartz 14808-60-7

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

- Nonylphenol 84852-15-3
- Hydrous magnesium silicate 14807-96-6
- Titanium Dioxide 13463-67-7
- Bisphenol A diglycidyl ether resin 25068-38-6
- Quartz 14808-60-7

**EPA SARA Title III Section 313 ( 40 CFR 372) components above 'de minimum' level:**

- None

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

**Country**

**Regulation**

**All Components Listed**

**EU Risk Phrases**

**Safety Phrase**

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

EPA SARA Title III Section 313 ( 40 CFR 372) compnenets above 'de minimum' level:

**Section 16 - Other Information**

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2016-07-28

Revision #: 1