




Aquatic Lining Systems



WolverineCoatings.com







	Wolverine Coatings' Aquatic Lining Systems are 100% solids, thick film Advanced Hybrid
System Description	lining systems designed for general use as a protective lining for swimming pools, aquatic
	environments, domestic waste water facilities, and other mildly aggressive immersion chemical
	environments. Our Aquatic Systems have excellent resistance to these environments while also
	displaying outstanding mechanical properties, such as adhesion and abrasion resistance. These
	systems were designed to be a high density (low porosity) lining system. They are a natural
	choice for aquatic environments as well as USDA & FDA Inspected facilities, clean rooms and
	other areas where a smooth easy to clean surface is desired.

Application Summary	This system is mixed on site and typically applied with a roller or airless spray to create a							
	smooth, glossy low porosity surface. In can be spray applied between 20 to 125 mils in a single							
	coat. The base coat is available in several formulations that are tailored to the desired application							
	thickness of a particular job.							

Common Applications Pools, fountains, aquatic animal exhibits, water parks, water sports centers, aquatic training facilities




BEFORE

AFTER

System Brochure: Aquatic Lining Systems

Aquatic Lining Systems

SYSTEMS



Liquariic	1107	020	nonci	or opi	aya	pplicu	10 20 111	113
*LiquaTile	1187	-060	Spray	applie	d up	to 60	mils/coa	ıt

- *LiquaTile 1187-125 Spray applied up to 125 mils
- lar Cost I. herichield 2401
- Sealer Coat: HybriShield 2401


 Texture
 Optional with aggregate: SpheriTex (Slip Resistance), WearResist (Wear Resistance)

Components

Primer: BondTite 1101, Base Coat: LiquaTile 1187, Optional Sealer Coat: HybriShield 2401

COLORS

The epoxy primer and base coat combination give durable protection for smooth, new concrete. The base coat is available in an assortment of standard colors. ... See Reverse



Color Chart



Color charts have been optimized to show colors as accurately as possible. Due to screen and printing limitations, you should consult your local Wolverine Coatings Corporation representative when color is critical or if custom colors or matching is desired.

"Big company" capabilities with "small company" personalized service.



Wolverine Coatings Corporation 5969 Highway 221 | Roebuck SC, 29376 Tel: (864) 587-3144 | Fax: (864) 587-3147 E-mail: Sales@wolverinecoatings.com WolverineCoatings.com