



WOLVERINE
COATINGS
corporation

Decorative Restroom Flooring Systems



DecoFlakes 130-250 Custom Blend

Our DecoFlakes Flooring Systems are designed for practicality and longevity, and to resolve your common flooring problems.

DecoFlakes can be custom blended to create a unique coating system that can be applied as either a single or double broadcast, depending on the preferred coverage rate.



If you have restrooms in your facility that need new flooring, and you want something durable, long-lasting, easy to clean, and visually pleasing, our DecoFlakes Flooring Systems are the right choice for you!

DecoFlakes are a decorative color chip broadcast media used in resinous coating systems. They are amorphous in shape, and come in various standardized sizes.

This picture was taken 5 years after floor application

DecoFlakes

DecoFlakes

System Options

1. DecoFlakes Size:

- 1/4" (Standard) 130-250
- 1/16" (Small) 130-063

2. Broadcast:

- Single
- Double

* Must use LiquaTile 1184 as Base Coat for Single Broadcast System

3. Broadcast Base Coat:

- LiquaTile 1184 (Pigmented)
- DecoFX 1110 (Clear)

4. Texture:

- Dependent on Flood Coat thickness

5. Sealer:

- EnduraShield 2254 (Scratch & UV Resistant)
- EnduraShield 4104 (Flexible & UV Resistant)

System Components

1. Broadcast Material:

- DecoFlakes 130-063 or DecoFlakes 130-250

2. Primer:

- BondTite 1101

3. Broadcast Base Coat:

- LiquaTile 1184 or • DecoFX 1110

4. Second Broadcast Coat (Optional):


- DecoFX 1110

5. Flood Coat:

- DecoFX 1110 or • EnduraShield 2254

6. Sealer Coat (Optional):

- EnduraShield 2254 or • EnduraShield 4104





Does your custodial staff groan about cleaning the odor leaching grout on tile floors? Remove that headache with a solid, seamless epoxy floor.



- * Easy To Clean
- * Abrasion Resistant
- * Impact Resistant
- * Slip Resistant
- * Long-Lasting



ColorQuartz



- * Easy To Clean
- * Abrasion Resistant
- * Impact Resistant
- * Slip Resistant
- * Long-Lasting

ColorQuartz

System Options

1. ColorQuartz Size:

- 121-400 • 122-400

2. Broadcast:

- Single • Double

* Must use LiquaTile 1184 as Base Coat for Single Broadcast System

3. Broadcast Base Coat:

- LiquaTile 1184 (Pigmented) • DecoFX 1110 (Clear)

4. Texture:

- Dependent on Flood Coat thickness

5. Sealer:

- EnduraShield 2254 (Scratch & UV Resistant)
- EnduraShield 4104 (Flexible & UV Resistant)

System Components

1. Broadcast Material:

- ColorQuartz 121-400 or • ColorQuartz 122-400

2. Primer:

- BondTite 1101

3. Broadcast Base Coat:

- LiquaTile 1184 or • DecoFX 1110

4. Second Broadcast Coat (Optional):


- DecoFX 1110

5. Flood Coat:

- DecoFX 1110


6. Sealer Coat (Optional):

- EnduraShield 2254 or • EnduraShield 4104




DecoFlakes 130-250 Blends


Color Chart for Resinous Wall & Floor Systems with 1/4" Vinyl Flakes (100% Coverage)




Dakota - H82A




Gravel - H85A




Wombat - H88A




Lighthouse - H69A




Shoreline - H72A




Sonoma - H62A




Canyon - H75A



Rainstorm - H22A




Basil - H32A



Briar - H37A



Bucky - H65A




Orbit - H25A

Color charts have been optimized to show colors as accurately as possible. Due to screen and printing limitations, you should consult your local Wolverine Coatings Corporation representative when color is critical or if custom colors or matching is desired.

ColorQuartz 121-400 & 122-400 Blends


Color Chart for Resinous Wall & Floor Systems with Medium Broadcast Quartz (100% Coverage)




Coastline Mist
J82A




Gray Sandstone
J83A



Medium Xenolith
J49A




Seafoam Blue
J24A




Crushed Granite
J83A




Light Sandalwood
J72A




Autumn Pepper
J57A




Midnight Sky
J28A




Slate Steel
J01A



Speckled Caramel
J77A



Crimson Haze
J66A



Forest Moss
J37A



Wolverine Coatings Corporation
5969 Hwy 221 | Roebuck SC, 29376
Tel: (864) 587-3144 | Fax: (864) 587-3147
E-mail: Sales@WolverineCoatings.com
WolverineCoatings.com

Rev. - 210121