

**Section 1 - Product and Company Identification**

Product Name: AntiCor 3520 (Formerly XP-3520)

**Company:**

Wolverine Coatings Corporation  
5969 Highway 221  
Roebuck, SC 29376

**ChemTel 24 Hr. Emergency Contact:**

United States Emergency Number: 1-800-255-3924  
Worldwide Emergency Number: 1-813-248-0585

Product Use: Additive for Coatings / Composites / Adhesives  
Not recommended for: None Identified

**Section 2 - Hazards Identification**

**GHS Ratings**

Skin Corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Skin sensitizer	1	Skin sensitizer
Carcinogen	1A	Known Human Carcinogen Based on Human Evidence (Dust)
Aquatic toxicity	C1	Acute toxicity $\leq 1.00$ mg/l and lack of rapid degradability and $\log Kow \geq 4$ unless $BCF < 500$

**GHS Hazards**

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer
H410	Very toxic to aquatic life with long lasting effects

**GHS Precautions**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P321	Specific treatment (see label)
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect spillage
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P332+P313	If skin irritation occurs: Get medical advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P337+P313	Get medical advice/attention

# AntiCor 3520 – Safety Data Sheet (Continued)

P405  
P501

Store locked up  
Dispose of contents/container in accordance with all local, regional, national, and international regulations.

**Signal Word: Warning**



## Section 3 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight Concentration
Strontium Chromate	7789-06-2	50.00% - 75.00%
Water	7732-18-5	10.00% - 20.00%
Alkyd Resin Polymer	63148-69-6	10.00% - 20.00%
2-Butoxyethanol	111-76-2	1.00% - 5.00%
Barium Chromate	10294-40-3	1.00% - 5.00%
Trade Secret		1.00% - 5.00%

## Section 4 – First Aid Measures

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

## Section 5 – Fire Fighting Measures

Flash Point: 114C (237F)  
LEL: Not Available

UEL: Not Available

**Extinguishing Media:** Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder extinguishing systems.

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

**Special Fire Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus.

## Section 6 - Accidental Release Measures

Spill and Leak Procedures: Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection.

Spills should be contained, solidified, and placed in suitable containers for disposal.

## Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## Section 8 – Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Strontium Chromate 7789-06-2	OEL-TWA: .5 mg/m3	Not Established	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established
Alkyd Resin 63148-69-6	Not Established	Not Established	Not Established
2-Butoxyethanol 111-76-2	Not Established	Not Established	Not Established
Barium Chromate 10294-40-3	Not Established	Not Established	Not Established
Trade Secret	Not Established	Not Established	Not Established

Ventilation: Good general mechanical ventilation and local exhaust is recommended.

Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

Personal Protective Equipment:

Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

## Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstances:

<b>Appearance:</b>	Liquid	<b>Odor:</b>	Slight
<b>Vapor Pressure:</b>	10.6 mm Hg	<b>Odor Threshold:</b>	Not Available
<b>Vapor Density:</b>	Not Available	<b>pH:</b>	Not Available
<b>Density (g/cm3):</b>	1.81	<b>Melting Point:</b>	Not Available
<b>Freezing Point:</b>	Not Available	<b>Solubility:</b>	Not Available
<b>Boiling Range:</b>	Not Available	<b>Flash Point:</b>	114°C, 237°F
<b>Evaporation Rate:</b>	Not Available	<b>Flammability:</b>	Not Available
<b>Explosive Limits:</b>	Not Available	<b>Partition Coefficient (n-octanol/water):</b>	Not Available

# AntiCor 3520 – Safety Data Sheet (Continued)

<b>Autoignition Temperature:</b>	Not Available	<b>Decomposition Temperature:</b>	Not Available
<b>Viscosity:</b>	Not Available	<b>Grams VOC less water:</b>	15.95 g/L

## Section 10 – Stability and Reactivity

Stability: STABLE

Components of this mixture are incompatible with the following materials:

Strong oxidizers  
Strong Acids  
Strong Bases  
Strong reducing agents  
Mineral acids  
Hydrazine

This mixture is likely to exhibit the following combustion products:

Hazardous polymerization will not occur.

## Section 11 - Toxicological Information

### Mixture Toxicity

Oral Toxicity LD50: 4,206mg/kg

### Component Toxicity

7789-06-2	Strontium Chromate Oral LD50: 3,118 mg/kg (rat)
63148-69-6	Alkyd Resin Oral LD50: 5,000 mg/kg (rat)
111-76-2	2-Butoxyethanol Oral LD50: 470 mg/kg (rat) Inhalation LC50: 450 ppm (rat)
	Trade Secret Oral LD50: 5,000 mg/kg (rat)

Routes of Entry:

**Inhalation      Skin Contact      Eye Contact      Ingestion**

Exposure to this material may affect the following organs:

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
7789-06-2	Strontium Chromate	50 - 60	
10294-40-3	Barium Chromate	1 - 5	

## Section 12 - Ecological Information

### Component Toxicity

Strontium Chromate	LC50 84.8 mg/l fish 96h; EC50 1.5 mg/l water flea 24h; EC50 0.36 mg/l algae; EC50 3.5 mg/l Bacteria 24h
--------------------	---

# AntiCor 3520 – Safety Data Sheet (Continued)

2-Butoxyethanol	LC50 220 mg/l fish 96h; EC50 1815 mg/l water flea 24h
Trade Secret	LC50 100 mg/l fish 96h

## Section 13 - Disposal Considerations

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

## Section 14 - Transport Information

This material is classified for transport as follows: Environmentally Hazardous Liquid, N.O.S., (Contains Strontium Chromate), 9, UN3082, III

## Section 15 - Regulatory Information

Additional regulatory listings, where applicable

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Barium Chromate 10294-40-3  
Strontium Chromate 7789-06-2

**Materials not included on the Canada DSL inventory:**

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

Barium Chromate 10294-40-3  
2-Butoxyethanol 111-76-2  
Strontium Chromate 7789-06-2

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

Barium Chromate 10294-40-3  
2-Butoxyethanol 111-76-2  
Strontium Chromate 7789-06-2

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

Barium Chromate 10294-40-3  
2-Butoxyethanol 111-76-2  
Strontium Chromate 7789-06-2

**EPA SARA Title III Section 313 ( 40 CFR 372) components above 'de minimum' level:**

Barium Chromate 10294-40-3  
2-Butoxyethanol 111-76-2  
Strontium Chromate 7789-06-2

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

## Section 16 -Other Information

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are

## AntiCor 3520 – Safety Data Sheet (Continued)

beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Prepared/Revised: 2019-11-25, Revision: 02