

# AntiCor 3520

# Safety Data Sheet (SDS)

# **Section 1 - Product and Company Identification**

Product Name: AntiCor 3520 (Formerly XP-3520)

Company:

Wolverine Coatings Corporation 5969 Highway 221 Roebuck, SC 29376 ChemTel 24 Hr. Emergency Contact:

United States Emergency Number: 1-800-255-3924 Worldwide Emergency Number: 1-813-248-0585

Product Use: Additive for Coatings / Composites / Adhesives

Not recommended for: None Identified

### Section 2 - Hazards Identification

	-	_			
GH	ıs	к	atı	n	as

Skin Corrosive 2 Reversible adverse effects in dermal tissue, Draize score: >= 2.3<4.0 or

persistent inflamation

Eye corrosive 2A Eye irritant: Subcategory 2A, Reversible in 21 days

Skin sensitizer 1 Skin sensitizer

Carcinogen 1A Known Human Carcinogen Based on Human Evidence (Dust)

Aquatic toxicity C1 Acute toxicity <= 1.00 mg/l and lack of rapid degradability and log

Kow>=4 unless BCF < 500

### **GHS Hazards**

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

### **GHS Precautions**

SDS: AntiCor 3520 (2015-07)

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P264 Wash thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P281 Use personal protective equipment as required

P321 Specific treatment (see label)

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect spillage

P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove

contact lenses if present and easy to do - continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P337+P313 Get medical advice/attention

# AntiCor 3520 - Safety Data Sheet (Continued)

P405 Store locked up

P501 Dispose of contents/container in accordance with all local, regional,

national, and international regulations.

Signal Word: Warning



### **Section 3 - Composition / Information on Ingredients**

Chemical Name	CAS Number	Weight Concentration
Strontium Chromate	7789-06-2	50.00% - 75.00%
Water	7732-18-5	10.00% - 20.00%
Alkyd Resin Polymer	63148-69-6	10.00% - 20.00%
2-Butoxyethanol	111-76-2	1.00% - 5.00%
Barium Chromate	10294-40-3	1.00% - 5.00%
Trade Secret		1.00% - 5.00%

## **Section 4 – First Aid Measures**

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

### **Section 5 – Fire Fighting Measures**

Flash Point: 114C (237F)

LEL: Not Available

UEL: Not Available

Extinguishing Media: Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder extinguishing systems

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

Special Fire Fighting Procedures: Firefighters should be equipped with self-contained breathing apparatus.

### Section 6 - Accidental Release Measures

Spill and Leak Procedures: Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection.

Spills should be contained, solidified, and placed in suitable containers for disposal.

### Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Strontium Chromate 7789-06-2	OEL-TWA: .5 mg/m3	Not Established	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established
Alkyd Resin 63148-69-6	Not Established	Not Established	Not Established
2-Butoxyethanol 111-76-2	Not Established	Not Established	Not Established
Barium Chromate 10294-40-3	Not Established	Not Established	Not Established
Trade Secret	Not Established	Not Established	Not Established

Ventilation: Good general mechanical ventilation and local exhaust is recommended.

Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

## Personal Protective Equipment:

Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

# **Section 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstances:

Appearance:	Liquid	Odor:	Slight
Vapor Pressure:	10.6 mm Hg	Odor Threshold:	Not Available
Vapor Density:	Not Available	pH:	Not Available
Density (g/cm3):	1.81	Melting Point:	Not Available
Freezing Point:	Not Available	Solubility:	Not Available
Boiling Range:	Not Available	Flash Point:	114°C, 237°F
Evaporation Rate:	Not Available	Flammability:	Not Available
Explosive Limits:	Not Available	Partition Coefficient octanol/water):	(n- Not Available

# AntiCor 3520 – Safety Data Sheet (Continued)

Autoignition
Temperature:

Not Available

Decomposition
Temperature:

Not Available

# Viscosity:Not AvailableGrams VOC less water:15.95 g/L

# Section 10 - Stability and Reactivity

Stability: STABLE

Components of this mixture are incompatible with the following materials:

Strong oxidizers
Strong Acids
Strong Bases

Strong reducing agents

Mineral acids Hydrazine

This mixture is likely to exhibit the following combustion products:

Hazardous polymerization will not occur.

# **Section 11 - Toxicological Information**

**Mixture Toxicity** 

Oral Toxicity LD50: 4,206mg/kg

**Component Toxicity** 

7789-06-2 Strontium Chromate

Oral LD50: 3,118 mg/kg (rat)

63148-69-6 Alkyd Resin

Oral LD50: 5,000 mg/kg (rat)

111-76-2 2-Butoxyethanol

Oral LD50: 470 mg/kg (rat) Inhalation LC50: 450 ppm (rat)

Trade Secret

Oral LD50: 5,000 mg/kg (rat)

Routes of Entry:

Inhalation Skin Contact Eye Contact Ingestion

Exposure to this material may affect the following organs:

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

7789-06-2 Strontium Chromate 50 - 60 10294-40-3 Barium Chromate 1 - 5

### **Section 12 - Ecological Information**

**Component Toxicity** 

Strontium Chromate LC50 84.8 mg/l fish 96h; EC50 1.5 mg/l water flea 24h; EC50 0.36 mg/l algae; EC50

3.5 mg/l Bacteria 24h

# AntiCor 3520 - Safety Data Sheet (Continued)

2-Butoxyethanol	LC50 220 mg/l fish 96h; EC50 1815 mg/l water flea 24h	
Trade Secret	LC50 100 mg/l fish 96h	

### **Section 13 - Disposal Considerations**

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

## **Section 14 - Transport Information**

This material is classified for transport as follows: Environmentally Hazardous Liquid, N.O.S., (Contains Strontium Chromate), 9, UN3082, III

### **Section 15 - Regulatory Information**

Additional regulatory listings, where applicable

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Barium Chromate 10294-40-3 Strontium Chromate 7789-06-2

### Materials not included on the Canada DSL inventory:

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

Barium Chromate 10294-40-3 2-Butoxyethanol 111-76-2 Strontium Chromate 7789-06-2

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

Barium Chromate 10294-40-3 2-Butoxyethanol 111-76-2 Strontium Chromate 7789-06-2

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

Barium Chromate 10294-40-3 2-Butoxyethanol 111-76-2 Strontium Chromate 7789-06-2

### EPA SARA Title III Section 313 (40 CFR 372) components above 'de minimum' level:

Barium Chromate 10294-40-3 2-Butoxyethanol 111-76-2 Strontium Chromate 7789-06-2

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

### **Section 16 -Other Information**

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are

# AntiCor 3520 - Safety Data Sheet (Continued)

beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Prepared/Revised: 7/30/2015, Revision: 01

SDS: AntiCor 3520 (2015-07)