

# BondTite 1115 Resin

(Part A)

Safety Data Sheet (SDS)

Section 1 - Product and Company Identification

Trade Name: BondTite 1115 Resin (All Versions)

## Company:

Wolverine Coatings Corporation 5969 Highway 221 Roebuck, SC 29376 +1 ((864) 587-3144 Product Code: BondTite 1115-000 CLR Resin

# **Emergency Contact:**

ChemTel 24 Hr. US Emergency Number: +1 (800) 255-3924 ChemTel 24 Hr. Worldwide Emergency Number: +1 (813) 248-0585

Product Use: Coatings

Not recommended for: None Identified

# Section 2 - Hazards Identification

# GHS Ratings:

Skin Corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation	
Eye Corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5	
Skin Sensitizer	1	Skin Sensitizer	
Aquatic toxicity	C3	Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability and log Kow >= 4 unless BCF < 500 and unless chronic toxicity > 1 mg/l	
GHS Hazards			
H315	Cau	ses skin irritation	
H317	May cause an allergic skin reaction		
H318	Causes serious eye damage		
H412	Harmful to aquatic life with long lasting effects		
GHS Precautions			
P261	Avoi	d breathing dust/fume/gas/mist/vapours/spray	
P264	Wash thoroughly after handling		
P272	Cont	aminated work clothing should not be allowed out of the workplace	
P273	Avoi	d release to the environment	
P280	Wea	r protective gloves/protective clothing/eye protection/face protection	
P310	Immediately call a POISON CENTER or doctor/physician		
P321	Spec	cific treatment (see label)	
P362	Take	e off contaminated clothing and wash before reuse	
P363	Was	h contaminated clothing before reuse	
P302+P352	IF O	N SKIN: Wash with soap and water	
P305+P351+P338	lense	EYES: Rinse continuously with water for several minutes. Remove contact es if present and easy to do – continue rinsing	
P332+P313	lf ski	n irritation occurs: Get medical advice/attention	
P333+P313	lf ski	n irritation or a rash occurs: Get medical advice/attention	
P501		ose of contents/container in accordance with all local, regional, national, and national regulations.	

Signal Word: Danger



## Section 3 - Composition / Information on Ingredients

Chemical Name	CAS number	Weight Concentration %	
Bisphenol A diglycidyl ether resin	25068-38-6	60.00% - 70.00%	
Oxybis(methyl-2,1-ethanediyl)diacrylate	57472-68-1	20.00% - 30.00%	
Trade Secret		10.00% - 20.00%	

## Section 4 - First Aid Measures

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

## **Section 5 - Fire Fighting Measures**

Flash Point:199 C (390 F)LEL:UEL:Extinguishing Media:Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powderextinguishing systems.

Unusual Fire and Explosion Hazards: None

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

**Special Fire Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus. **Fire Equipment:** No Data

#### **Section 6 - Accidental Release Measures**

**Spill And Leak Procedures:** Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

## Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in

SDS: BondTite 1115 Resin

open, unlabeled or mislabeled containers. Keep container closed when not in use.

## **Section 8 - Exposure Controls / Personal Protection**

Chemical Name / CAS #	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Bisphenol A diglycidyl ether resin 25068-38-6	Not Established	Not Established	Not Established
Oxybis(methyl-2,1- ethanediyl)diacrylate 57472-68-1	Not Established	Not Established	Not Established
Trade Secret	Not Established	Not Established	Not Established

Ventilation: Good general mechanical ventilation and local exhaust is recommended.

**Hygiene:** Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

**Personal Protective Equipment:** Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

**Contaminated Gear:** Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

## **Section 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstances:

Appearance:	Liquid	Odor:	Not available
Vapor Pressure:	0.030 mm Hg	Odor threshold:	Not available
Vapor Density:	Not available	pH:	Not available
Density (g/cm3):	1.12	Melting point:	Not available
Freezing point:	Not available	Solubility:	Not available
Boiling range:	Not available	Flash point:	199 C, 390 F
Evaporation rate:	Not available	Flammability:	Not available
Explosive Limits:	Not available	Partition coefficient (n- octanol/water):	Not available
Autoignition temperature:	Not available	Decomposition temperature:	Not available
Viscosity:	Not available	Grams VOC less water:	Not available

## Section 10 - Stability and Reactivity

## Stability:

STABLE

Components of this mixture are incompatible with the following materials:

Peroxides Alkalies Strong Acids Strong Bases Strong Oxidizers Strong Reducing Agents

# SDS: BondTite 1115 Resin

#### This mixture is likely to exhibit the following combustion products:

Carbon Dioxide, Carbon Monoxide

Hazardous polymerization will not occur.

**Section 11 - Toxicological Information** 

#### **Mixture Toxicity:**

#### **Component Toxicity:**

57472-68-1 Oxybis(methyl-2,1-ethanediyl)diacrylate

Oral LD50: 4,600 mg/kg (rat) Dermal LD50: 2,000 mg/kg (rabbit)

#### Routes of Entry:

Inhalation Skin Contact Eye Contact Ingestion

Exposure to this material may affect the following organs:

No Data

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

CAS Number	<b>Description</b>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No Data

Section 12 - Ecological Information

#### **Component Ecotoxicity:**

Bisphenol A diglycidyl ether resin

LC50 3.1 mg/l fish 96h; EC50 2.1 mg/l water flea 48h; EC50 >11mg/l Algae 72h; LC50 >100mg/l bacteria 3h

#### **Section 13 - Disposal Considerations**

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

#### Section 14 - Transport Information

This material is classified for transport as follows:

<u>Agency</u>	Proper Shipping Name	<u>UN Number</u>	Packing Group	Hazard Class
DOT	Paint Related Material, Corrosive	3066	III	8
IATA				
IMDG				

#### **Section 15 - Regulatory Information**

#### Additional regulatory listings, where applicable:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

## Materials not included on the Canada DSL inventory:

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

- None

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

Bisphenol A diglycidyl ether resin 25068-38-6

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

Bisphenol A diglycidyl ether resin 25068-38-6

### EPA SARA Title III Section 313 (40 CFR 372) components above 'de minimum' level:

- None

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

## <u>Country</u>

## **All Components Listed**

## EU Risk Phrases

## Safety Phrase

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

EPA SARA Title III Section 313 (40 CFR 372) compnenets above 'de minimum' level:

**Regulation** 

## **Section 16 - Other Information**

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2016-05-18

Revision #: 3