



# ChemShield 1683 Resin

## (Part A)

### Safety Data Sheet (SDS)

#### Section 1 - Product and Company Identification

**Trade Name:** ChemShield 1683 Resin (All Versions)

**Product Code:** ChemShield 1683-000 GY2A Resin

**Company:**

Wolverine Coatings Corporation  
5969 US Highway 221  
Roebuck, SC 29376  
+1 (864) 587-3144

**Emergency Contact:**

ChemTel 24 Hr. US Emergency Number:  
+1 (800) 255-3924  
ChemTel 24 Hr. Worldwide Emergency Number:  
+1 (813) 248-0585

**Product Use:** Coatings

**Not recommended for:** None Identified

#### Section 2 - Hazards Identification

**GHS Ratings:**

Skin Corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye Corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Skin Sensitizer	1	Skin Sensitizer
Mutagen	1B	Known to produce heritable mutations in human germ cells Subcategory 1B, Positive results: In vivo heritable germ cell tests in mammals, Human germ cell tests, In vivo somatic mutagenicity tests, combined with some evidence of germ cell mutagenicity
Carcinogen	1A	Known Human Carcinogen Based on human evidence
Reproductive Toxin	1B	Presumed, Based on experimental animals

**GHS Hazards**

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H340	May cause genetic defects
H350	May cause cancer
H360	May damage fertility or the unborn child

**GHS Precautions**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P321	Specific treatment (see label)
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P332+P313	If skin irritation occurs: Get medical advice/attention

P333+P313  
P337+P313  
P405  
P501

If skin irritation or a rash occurs: Get medical advice/attention  
Get medical advice/attention  
Store locked up  
Dispose of contents/container in accordance with all local, regional, national, and international regulations.

**Signal Word:** Danger



### Section 3 - Composition / Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Epoxy Phenol Novalac Resin	28064-14-4	30.00% - 40.00%
Quartz	14808-60-7	30.00% - 40.00%
Cenospheres	68131-74-8	5.00% - 10.00%
Titanium Dioxide	13463-67-7	5.00% - 10.00%
2-Methoxy-methylethyl acetate	108-65-6	1.00% - 5.00%
Ethylbenzene	100-41-4	0.10% - 1.00%

### Section 4 - First Aid Measures

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

### Section 5 - Fire Fighting Measures

**Flash Point:** 184 C (363 F) LEL: 1.00 UEL: 13.00

**Extinguishing Media:** Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder extinguishing systems.

**Unusual Fire and Explosion Hazards:** None

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

**Special Fire Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus.

**Fire Equipment:** No Data

### Section 6 - Accidental Release Measures

**Spill And Leak Procedures:** Avoid all personal contact. Ensure cleanup personnel wear all appropriate

Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

## Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS #	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Epoxy Phenol Novalac Resin 28064-14-4	Not Established	Not Established	Not Established
Quartz 14808-60-7	TWA30 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2 total dust TWA: 10 mg/m <sup>3</sup> /%SiO <sub>2</sub> +2 respirable fraction	TWA: 0.025 mg/m <sup>3</sup>	Not Established
Cenospheres 68131-74-8	Not Established	Not Established	Not Established
Titanium Dioxide 13463-67-7	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	Not Established
2-Methoxy-methylethyl acetate 108-65-6	Not Established	Not Established	Not Established
Ethylbenzene 100-41-4	TWA: 435 mg/m <sup>3</sup>	TWA: 20 ppm	Not Established

**Ventilation:** Good general mechanical ventilation and local exhaust is recommended.

**Hygiene:** Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

**Personal Protective Equipment:** Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

**Contaminated Gear:** Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

## Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstances:

<b>Appearance:</b> Liquid	<b>Odor:</b> Not available
<b>Vapor Pressure:</b> 8.5 mm Hg	<b>Odor threshold:</b> Not available
<b>Vapor Density:</b> Not available	<b>pH:</b> Not available
<b>Density (g/cm<sup>3</sup>):</b> 1.47	<b>Melting point:</b> Not available

<b>Freezing point:</b> Not available	<b>Solubility:</b> Not available
<b>Boiling range:</b> Not available	<b>Flash point:</b> 184°C, 363°F
<b>Evaporation rate:</b> Not available	<b>Flammability:</b> Not available
<b>Explosive Limits:</b> Not available	<b>Partition coefficient (n-octanol/water):</b> Not available
<b>Autoignition temperature:</b> Not available	<b>Decomposition temperature:</b> Not available
<b>Viscosity:</b> Not available	<b>Grams VOC less water:</b> Not available

## Section 10 - Stability and Reactivity

### Stability:

STABLE

### Components of this mixture are incompatible with the following materials:

Strong Oxidizers  
Strong Acids  
Amines  
Alkalies

### This mixture is likely to exhibit the following combustion products:

Phenol  
Carbon Dioxide, Carbon Monoxide

Hazardous polymerization will not occur.

## Section 11 - Toxicological Information

### Mixture Toxicity:

Oral Toxicity LD50: 3,907mg/kg  
Inhalation Toxicity LC50: 139mg/L

### Component Toxicity:

### Routes of Entry:

Inhalation      Skin Contact      Eye Contact      Ingestion

### Exposure to this material may affect the following organs:

Lungs      Respiratory System

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
100-41-4	Ethylbenzene	0.1 to 1.0%	Ethylbenzene:
14808-60-7	Quartz	30 to 40%	Quartz: If product is in liquid or paste form, physical or health hazards listed related to dust are not considered significant. However, product may contain substances that could be potential hazards if caused to become airborne due to grinding, sanding or other abrasive processes.

## Section 12 - Ecological Information

### Component Ecotoxicity:

Epoxy Phenol Novalac Resin      LC50 10 mg/l fish 96h; EC50 10 mg/l water flea 48h

Quartz	LC50 >10,000 mg/l fish 72h; EC50 7600 mg/L water flea 48h; EC50 440mg/L algae, 72h;
Titanium Dioxide	LC50 >1000 mg/l fish 96h; EC50 >1000 mg/l water flea 48h; EC50 >100 mg/l algae 72h
2-Methoxy–methylethyl acetate	LC50 180 mg/l fish 96h; EC50 >500 mg/l water flea 48h
Ethylbenzene	LC50 5.1 mg/l fish 96h; EC50 2.4 mg/l water flea 96h; EC50 4.9 mg/l algae 72h

### Section 13 - Disposal Considerations

**Waste disposal Methods:** Dispose in accordance with Federal, State and Local regulations.

### Section 14 - Transport Information

This material is classified for transport as follows:

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	Non-Regulated	NA	NA	NA
IATA	No Data			
IMDG	No Data			

### Section 15 - Regulatory Information

**Additional regulatory listings, where applicable:**

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- Ethylbenzene 100-41-4
- Titanium Dioxide 13463-67-7
- Cenospheres 68131-74-8
- Quartz 14808-60-7

**Materials not included on the Canada DSL inventory:**

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

- Ethylbenzene 100-41-4
- Titanium Dioxide 13463-67-7
- Cenospheres 68131-74-8
- Quartz 14808-60-7

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

- Ethylbenzene 100-41-4
- 2-Methoxy–methylethyl acetate 108-65-6
- Titanium Dioxide 13463-67-7
- Cenospheres 68131-74-8
- Quartz 14808-60-7

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

- Ethylbenzene 100-41-4
- 2-Methoxy–methylethyl acetate 108-65-6
- Titanium Dioxide 13463-67-7
- Cenospheres 68131-74-8
- Quartz 14808-60-7

**EPA SARA Title III Section 313 ( 40 CFR 372) components above 'de minimum' level:**

Ethylbenzene 100-41-4  
Cenospheres 68131-74-8

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

**Country**

**Regulation**

**All Components Listed**

**EU Risk Phrases**

**Safety Phrase**

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

EPA SARA Title III Section 313 ( 40 CFR 372) compnenets above 'de minimum' level:

**Section 16 - Other Information**

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2019-11-25

Revision #: 1