

TrowelEase 1162 Hardener

(Part B)

Safety Data Sheet (SDS)

Section 1 - Product and Company Identification

Trade Name: TrowelEase 1162 Hardener (All Versions) Product Code: TrowelEase 1162-250 CLR Hardener

Company:

Wolverine Coatings Corporation 5969 Highway 221 Roebuck, SC 29376 +1 (864) 587-3144

Emergency Contact:

ChemTel 24 Hr. US Emergency Number: +1 (800) 255-3924 ChemTel 24 Hr. Worldwide Emergency Number: +1 (813) 248-0585

Product Use: Coatings

Not recommended for: None Identified

Section 2 - Hazards Identification

GHS Ratings:

Oral Toxicity	Acute Tox, 4	Oral>300+<=2000mg/kg			
Skin Corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal			
Eye Corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5			
Skin Sensitizer	1	Skin Sensitizer			
Mutagen	2	Suspected/Possible: May include heritable mutations in human germ cells, Positive evidence from tests in mammals and somatic cell tests, In vivo somatic genotoxicity supported by in vitro mutagenicity			
Reproductive	2	Human or animal evidence possibly with other information			
Toxin					
GHS Hazards					
H302	Harmf	ul if swallowed			
H314	Causes severe skin burns and eye damage				
H317	May cause an allergic skin reaction				
H318	Causes serious eye damage				
H341	Suspected of causing genetic defects				
H361	Suspe	cted of damaging fertility or the unborn child			
GHS Precautions					
P201	Obtain	special instructions before use			
P202	Do not	handle until all safety precautions have been read and understood			
P260	Do not breathe dust/fume/gas/mist/vapours/spray				
P261	Avoid breathing dust/fume/gas/mist/vapours/spray				
P264	Wash	thoroughly after handling			
P270	Do not eat, drink or smoke when using this product				
P272	Contaminated work clothing should not be allowed out of the workplace				
P280	Wear protective gloves/protective clothing/eye protection/face protection				
P281	Use personal protective equipment as required				
P310	Immediately call a POISON CENTER or doctor/physician				
P321		ic treatment (see label)			
P330	Rinse				
P363		contaminated clothing before reuse			
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell				

P301+P330+P331 P302+P352	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting IF ON SKIN: Wash with soap and water
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention
P405	Store locked up
P501	Dispose of contents/container in accordance with all local, regional, national, and international regulations.

Signal Word: Danger



Section 3 - Composition / Information on Ingredients

Chemical Name	CAS number	Weight Concentration %	
Benzyl Alcohol	100-51-6	30.00% - 40.00%	
Isophorone Diamine	2855-13-2	10.00% - 20.00%	
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	25513-64-8	10.00% - 20.00%	
Bisphenol A diglycidyl ether resin	25068-38-6	10.00% - 20.00%	
Nonylphenol	84852-15-3 5.00% - 10.00%		
Trade Secret		5.00% - 10.00%	
Salicylic Acid	69-72-7	1.00% - 5.00%	

Section 4 - First Aid Measures

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Eye Contact: Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

Skin contact: Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

Section 5 - Fire Fighting Measures

Flash Point: 130 C (266 F)

LEL: 1.00

UEL: 13.00

Extinguishing Media: Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder extinguishing systems.

	SDS: Trowel	Ease 1162	Hardener
--	--------------------	-----------	----------

Unusual Fire and Explosion Hazards: None

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

Special Fire Fighting Procedures: Firefighters should be equipped with self-contained breathing apparatus. **Fire Equipment:** No Data

Section 6 - Accidental Release Measures

Spill And Leak Procedures: Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

Section 7 - Handling and Storage

Handling Precautions: Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

Storage Requirements: Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

Chemical Name / CAS #	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Benzyl Alcohol 100-51-6	Not Established	Not Established	Not Established
Isophorone Diamine 2855-13-2	Not Established	Not Established	Not Established
2,2,4(or 2,4,4)- trimethylhexane-1,6- diamine 25513-64-8	Not Established	Not Established	Not Established
Bisphenol A diglycidyl ether resin 25068-38-6	Not Established	Not Established	Not Established
Nonylphenol 84852-15-3	Not Established	Not Established	Not Established
Trade Secret	Not Established	Not Established	Not Established
Salicylic Acid 69-72-7	Not Established	Not Established	Not Established

Section 8 - Exposure Controls / Personal Protection

Ventilation: Good general mechanical ventilation and local exhaust is recommended.

Hygiene: Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

Personal Protective Equipment: Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

Contaminated Gear: Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstances:

Appearance:	Liquid	Odor:	Not available
Vapor Pressure:	0.15 mm Hg	Odor threshold:	Not available
Vapor Density:	Not available	pH:	Not available
Density (g/cm3):	1.00	Melting point:	Not available
Freezing point:	Not available	Solubility:	Not available
Boiling range:	Not available	Flash point:	130 C, 266 F
Evaporation rate:	Not available	Flammability:	Not available
Explosive Limits:	Not available	Partition coefficient (n- octanol/water):	Not available
Autoignition temperature:	Not available	Decomposition temperature:	Not available
Viscosity:	Not available	Grams VOC less water:	Not available

Section 10 - Stability and Reactivity

Stability:

STABLE

Components of this mixture are incompatible with the following materials:

Strong Acids Strong Oxidizers Organic Acids Mineral Acids Peroxides Sodium Hypochlorite Strong Bases Strong Reducing Agents Amines

This mixture is likely to exhibit the following combustion products:

Ammonia Carbon Dioxide, Carbon Monoxide Nitrogen Oxides Biphenyls

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity:

Oral Toxicity LD50: 1,413mg/kg Dermal Toxicity LD50: 4,538mg/kg Inhalation Toxicity LC50: 7mg/L

Component Toxicity:

100-51-6	Benzyl Alcohol
	Oral LD50: 1,620 mg/kg (Rat) Dermal LD50: 2,010 mg/kg (Rabbit) Inhalation LC50: 4 mg/L (
2855-13-2	Isophorone Diamine
	Oral LD50: 1,030 mg/kg (rat) Dermal LD50: 2,000 mg/kg (rat) Inhalation LC50: 5 mg/L (rat)
25513-64-8	2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine
	Oral LD50: 910 mg/kg (rat)

84852-15-3	Nonylphenol Oral LD50: 1,4	12 mg/kg (Rat) Derm	nal LD50: 2,031 mg/kg	g (Rabbit)	
69-72-7	Salicylic Acid Oral LD50: 891	mg/kg (rat) Dermal	LD50: 2 g/kg (rat) Inl	nalation LC50: 1 mg/L (rat)	
Routes of Entry:					
Inhalation	Skin Contact	Eye Contact	Ingestion		
Exposure to this material may affect the following organs: No Data					
The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing): CAS Number Description % Weight Carcinogen Rating None No Data					
Section 12 - Ecological Information					
	Ŭ				
Component Ecot	oxicity:				
Benzyl Alcohol	·	0	96 h; EC50 360 ppm 58 mg/l bacteria 16 h	water flea 48 h; EC50 640 mg/l	
Isophorone Diamine		LC50 110 mg/l fish 96h; ErC50 50 mg/l algae 72h; EC10 1120 mg/l bacteria 18h			
2,2,4(or 2,4,4)-trimethylhexane-1,6- diamine		LC50 174 mg/l fish 48h; EC50 31.5 mg/l water flea 24h; EbC50 29.5 mg/l algae 72h; EC10 72 mg/l bacteria 17h			
Bisphenol A diglycidyl ether resin		LC50 3.1 mg/l fish 96h; EC50 2.1 mg/l water flea 48h; EC50 >11mg/l Algae 72h; LC50 >100mg/l bacteria 3h			
Nonylphenol		LC50 0.209 mg/l fis	h 96h; EC50 0.0844 ı	mg/l water flea 48h	
Salicylic Acid		LC50 1380 mg/l fisł algae 72h	n 96h; EC50 870 mg/l	water flea 48h, EC50 >100 mg/l	

Section 13 - Disposal Considerations

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

Section 14 - Transport Information

This material is classified for transport as follows:

Agency	Proper Shipping Name	<u>UN Number</u>	Packing Group	Hazard Class
DŌT	Paint Related Material, Corrosive	3066		8
IATA				
IMDG				

Section 15 - Regulatory Information

Additional regulatory listings, where applicable:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

Materials not included on the Canada DSL inventory:

Commonwealth of Massachusetts "Right to Know": This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List: Benzyl Alcohol 100-51-6

NJ "Right to Know": This product contains the following toxic or hazardous substances which appear on the New Jersev Substance List:

Nonylphenol 84852-15-3 Bisphenol A diglycidyl ether resin 25068-38-6 Benzyl Alcohol 100-51-6

Pennsylvania "Right to Know": This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

Nonylphenol 84852-15-3 Bisphenol A diglycidyl ether resin 25068-38-6 Benzyl Alcohol 100-51-6

EPA SARA Title III Section 313 (40 CFR 372) components above 'de minimum' level:

- None

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory: - None

Country

All Components Listed

EU Risk Phrases

Safety Phrase

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

EPA SARA Title III Section 313 (40 CFR 372) compnenets above 'de minimum' level:

Regulation

Section 16 - Other Information

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2019-11-25

Revision #: 2