

# TrowelEase 1164 Hardener (Part B)

Safety Data Sheet (SDS)

# **Section 1 - Product and Company Identification**

Trade Name: TrowelEase 1164 Hardener (All Versions) Product Code: TrowelEase 1164-000 CL1A Hardener

Company:

Wolverine Coatings Corporation 5969 US Highway 221 Roebuck, SC 29376 +1 (864) 587-3144

**Product Use:** Coatings

**Emergency Contact:** 

ChemTel 24 Hr. US Emergency Number: +1 (800) 255-3924 ChemTel 24 Hr. Worldwide Emergency Number: +1 (813) 248-0585

Not recommended for: None Identified

### **Section 2 - Hazards Identification**

# **GHS Ratings:**

| Flammable Liquid      | 4      | Flash point >= 60°C (140°F) and <= 93°C (200°F)  |
|-----------------------|--------|--|
| Oral Toxicity         | Acute  | Oral>300+<=2000mg/kg   |
|                       | Tox. 4 |  |
| Skin Corrosive        | 1A     | Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal  |
| Eye Corrosive         | 1      | Serious eye damage: Irreversible damage 21 days after exposure,<br>Draize score: Corneal opacity >= 3, Iritis > 1.5  |
| Skin Sensitizer       | 1      | Skin Sensitizer  |
| Mutagen               | 2      | Suspected/Possible: May include heritable mutations in human germ cells, Positive evidence from tests in mammals and somatic cell tests, In vivo somatic genotoxicity supported by in vitro mutagenicity |
| Reproductive<br>Toxin | 1B     | Presumed, Based on experimental animals  |
| Aquatic toxicity      | C3     | Acute toxicity $>$ 10.0 but $<=$ 100.0 mg/l and lack of rapid degradability and log Kow $>=$ 4 unless BCF $<$ 500 and unless chronic toxicity $>$ 1 mg/l   |

# **GHS Hazards**

| H22/            | Combustible liquid                                |
|-----------------|---|
| H302            | Harmful if swallowed                              |
| H314            | Causes severe skin burns and eye damage           |
| H317            | May cause an allergic skin reaction               |
| H318            | Causes serious eye damage                         |
| H341            | Suspected of causing genetic defects              |
| H360            | May damage fertility or the unborn child          |
| H412            | Harmful to aquatic life with long lasting effects |
| LLC Drocoutions |   |

### **GHS Precautions**

| P201 | Obtain special instructions before use                                   |
|------|--|
| P202 | Do not handle until all safety precautions have been read and understood |
| P210 | Keep away from heat/sparks/open flames/hot surfaces – No smoking         |
| P235 | Keep cool  |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray                          |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray                         |
| P264 | Wash thoroughly after handling   |
| P270 | Do not eat, drink or smoke when using this product                       |
| P272 | Contaminated work clothing should not be allowed out of the workplace    |

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P281 Use personal protective equipment as required

P310 Immediately call a POISON CENTER or doctor/physician

P321 Specific treatment (see label)

P330 Rinse mouth

P363 Wash contaminated clothing before reuse

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P352 IF ON SKIN: Wash with soap and water

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P370+P378 In case of fire: Use carbon dioxide, alcohol-resistant foam, dry chemical, dry sand,

or water fog for extinction

P405 Store locked up

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents/container in accordance with all local, regional, national, and

international regulations.

Signal Word: Danger







# Section 3 - Composition / Information on Ingredients

| Chemical Name                     | CAS number | Weight Concentration % |
|-----------------------------------|------------|------------------------|
| 4-tert-Butylphenol                | 98-54-4    | 40.00% - 50.00%        |
| Trade Secret                      |            | 20.00% - 30.00%        |
| 2,2,4-Trimethyl-1,6-hexanediamine | 25620-58-0 | 20.00% - 30.00%        |
| Nonylphenol                       | 84852-15-3 | 1.00% - 5.00%          |

### **Section 4 - First Aid Measures**

**Inhalation:** If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Eye Contact:** Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

**Skin contact:** Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

### **Section 5 - Fire Fighting Measures**

**Flash Point:** 93 C (199 F) LEL: UEL:

Extinguishing Media: Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder

extinguishing systems.

Unusual Fire and Explosion Hazards: None

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or

decomposition. See section 10 (Stability and Reactivity) for additional information.

**Special Fire Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus.

Fire Equipment: No Data

### **Section 6 - Accidental Release Measures**

**Spill And Leak Procedures:** Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

# Section 7 - Handling and Storage

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

## **Section 8 - Exposure Controls / Personal Protection**

| Chemical Name / CAS #                               | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|---|----------------------|-----------------------|-----------------------|
| 4-tert-Butylphenol<br>98-54-4                       | Not Established      | Not Established       | Not Established       |
| Trade Secret  | Not Established      | Not Established       | Not Established       |
| 2,2,4-Trimethyl-1,6-<br>hexanediamine<br>25620-58-0 | Not Established      | Not Established       | Not Established       |
| Nonylphenol<br>84852-15-3                           | Not Established      | Not Established       | Not Established       |

**Ventilation:** Good general mechanical ventilation and local exhaust is recommended.

**Hygiene:** Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

**Personal Protective Equipment:** Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

Contaminated Gear: Take off all contaminated clothing immediately. Wash contaminated clothing before reuse

# **Section 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstances:

Appearance Viscous liquid Odor Not Avaiilable

Physical State Liquid Vapor Pressure 1.8 mm Hg

Boiling Range 232 to 302 °C Specific Gravity (SG) 1.000

Lbs VOC/Gallon Less 0.00
Water

### **Section 10 - Stability and Reactivity**

### Stability:

**STABLE** 

### Components of this mixture are incompatible with the following materials:

Strong Bases Strong Oxidizers Acid chlorides Acid anhydrides Carbon disulfide Nitrates

### This mixture is likely to exhibit the following combustion products:

No Data

Hazardous polymerization will not occur.

# **Section 11 - Toxicological Information**

### **Mixture Toxicity:**

Oral Toxicity LD50: 1,264mg/kg Inhalation Toxicity LC50: 18mg/L

### **Component Toxicity:**

98-54-4 4-tert-Butylphenol

Oral LD50: 2,000 mg/kg (rat)

25620-58-0 2,2,4-Trimethyl-1,6-hexanediamine

Oral LD50: 910 mg/kg (rat)

84852-15-3 Nonylphenol

Oral LD50: 1,412 mg/kg (Rat) Dermal LD50: 2,031 mg/kg (Rabbit)

### Routes of Entry:

Inhalation Skin Contact Eye Contact Ingestion

# Exposure to this material may affect the following organs:

No Data

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

CAS NumberDescription% WeightCarcinogen RatingNoneNo Data

### **Section 12 - Ecological Information**

### **Component Ecotoxicity:**

4-tert-Butylphenol LC50 5.14 mg/l fish 96h; EC50 4.8 mg/l water flea 48h; IC50 11.2 mg/l

algae 72h

Trade Secret LC50 87.6 mg/l fish 96h; EC50 15.2 mg/l water flea 48h; EC50 32.1 algae

72h; EC50 >1000 mg/l Bacteria 30h

2,2,4-Trimethyl-1,6-hexanediamine LC50 172.0 mg/l Fish 48h; EC50 31.5 mg/l water flea 24h; EC50 29.5 mg/l

algae 72h;

# **Section 13 - Disposal Considerations**

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

### **Section 14 - Transport Information**

This material is classified for transport as follows:

Agency Proper Shipping Name UN Number Packing Group Hazard Class

DOT Paint Related Material, Corrosive 3066 III 8

IATA No Data

IMDG No Data

### **Section 15 - Regulatory Information**

### Additional regulatory listings, where applicable:

# State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

### Materials not included on the Canada DSL inventory:

- None

**Commonwealth of Massachusetts "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Massachusetts Substance List:

Trade Secret

**NJ "Right to Know":** This product contains the following toxic or hazardous substances which appear on the New Jersey Substance List:

Nonylphenol 84852-15-3

2,2,4-Trimethyl-1,6-hexanediamine 25620-58-0

Trade Secret

4-tert-Butylphenol 98-54-4

**Pennsylvania "Right to Know":** This product contains the following toxic or hazardous substances which appear on the Pennsylvania Substance List:

Nonylphenol 84852-15-3

2,2,4-Trimethyl-1,6-hexanediamine 25620-58-0

Trade Secret

4-tert-Butylphenol 98-54-4

# EPA SARA Title III Section 313 (40 CFR 372) components above 'de minimum' level:

- None

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

<u>Country</u> <u>Regulation</u> <u>All Components Listed</u>

### **EU Risk Phrases**

### Safety Phrase

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

- None

EPA SARA Title III Section 313 (40 CFR 372) compnenets above 'de minimum' level:

### **Section 16 - Other Information**

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2019-11-25 Revision #: 1